

Boom Lift License Mesa

Boom Lift License Mesa - Just completely licensed individuals must operate an aerial boom lift. Qualification can be attained through a combination of classroom sessions and practical training with the particular kind of aerial lift that would be utilized on the job. A license is needed for any person who operates or works on an aerial boom lift.

Vehicle-mounted aerial devices include the following work vehicles: aerial ladders, extensible boom platforms, vertical towers, articulating boom platforms, and whatever combination of these kinds.

There are a number of basic safety regulations that apply to all boom lifts. Worker safety whilst inside the basket is a top priority. Workers should wear a body harness and lanyard attached to the basket or boom. Never tie off to an adjacent pole, structure, or equipment. Employees must stand on the floor of the basket, and never sit or climb on the basket edge. The load limitations of the manufacturer should be followed.

Lift operators must be authorized to operate an aerial lift. The manufacturer's manual should be kept in the lift and the operator needs to be familiar with all aspects of that particular unit. Operators are responsible for making certain that safety procedures are followed in the operation of the lift. A daily test of lift controls must be performed. Position outriggers and set brakes (if they are utilized) on a stable surface or on pads. When working on a slope, utilize wheel chocks.

Never move an aerial lift truck with an elevated boom whilst personnel are within the basket. Extensible boom platforms and articulating boom utilized as employees carriers should have accessible, plainly marked, upper controls. Except for in emergency conditions, lower controls must not be utilized to override upper controls unless the person inside the lift gives consent.

While working from an aerial lift, do not wear tree or pole climbers.

Do not alter the insulated portion of the aerial lift.

Do inspect the booms to make sure that it is correctly cradled and the outriggers are in the stowed position prior to moving.

When operating a boom lift next to power lines, make sure that the lines are di-electrically tested based on local rules.