## **Forklift Training Course Mesa**

Forklift Training Course Mesa - OSHA and CSA establish criteria for forklift safety training which meets current standards and regulations. Anybody intending to use a forklift is required to successfully finish safety training before utilizing whatever kind of forklift. The accredited Forklift Operator Training Program is meant to provide trainees with the knowledge and practical skills to become a forklift operator.

There are forklift operation safety rules that should be followed pertaining to pre-shift inspections, and regulations for lifting and loading.

An inspection checklist should be completed and given to the supervising authority before beginning a shift. When a maintenance issue is uncovered, the use of the particular equipment should be stopped until the problem has been addressed. To indicate the equipment is out of service, the keys must be removed from the ignition and a warning tag placed in a spot that is seen.

Safety regulations for loading would include checking the load rating capacity on the forklift to know how much the equipment can handle. When starting the machinery, the forks should be in the downward position. Keep in mind that there is a loss of about 100 pounds carrying capacity for every inch further away from the carriage that the load is carried.

So as to safely lift a palletized load, drive the forklift to the pallet and halt with the fork three inches away from the load. Level the mast until it is at right angles to the load. Lift the forks to one inch underneath the slot on the pallet and drive forward. Then lift forks four inches. Tilt back the load to be able to secure it for moving. Drive the lift in reverse if the load obscures frontal vision. Check behind and honk to warn other employees. Do not allow forks to drag on the ground.

The load should be loaded by the forklift in such a way that ensures the load is secure and would not cause a danger to other objects or people. Restraining loads is required for materials that could shift during transport and destabilize the forklift.

To avoid the shifting of drums, drums can be strapped together to decrease movement. Forklift operators must drive slowly when transporting liquids, to decrease instability in the forklift.